








Palice - specifikacija					
ozn	oblika in mere [cm]	Ø	lg [m]	n [kos]	lg <sub>n</sub> [m]
ab plošča dvigala 2 na koti -4.58_17140-10_PZI-21-002-02 (1 kos)					
1		12	1.90	36	68.40
2		12	2.35	25	58.75
3		16	2.45	14	34.30
4		20	2.00	16	32.00
5		14	2.20	8	17.60
6		14	2.10	8	16.80
7		12	1.11	3	3.33

Palice - izvleček			
Ø [mm]	lgn [m]	Teža enote [kg/m']	Teža [kg]
B500-B, Ø ≤ 12 mm			
12	130.48	0.92	120.04
Skupaj			120.04
B500-B, Ø > 12 mm			
14	34.40	1.25	43.07
16	34.30	1.62	55.60
20	32.00	2.48	79.20
Skupaj			177.87

Mreže - specifikacija						
Pozicija	Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m2]	Skupna teža [kg]
ab plošča dvigala 2 na koti -4.58_17140-10_PZI-21-002-02 (1 kos)						
1-1	Q-503	205	215	2	7.90	69.63
Skupaj						69.63

Mreže - izvleček					
Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m2]	Skupna teža [kg]
Q-503	220	600	1	7.90	104.28
Skupaj					104.28